

CHESPAK

(PTY) LTD.



Manufacturers and suppliers of plastic crates.

All our crates have been tested in the market. All crate sizes are standard with existing crates in the market. All crates are 100% recyclable. Over the years, crates have been re-designed and improved. Improvements have been made to strengthen bases, allowing crates to last longer and to be stacked higher, rounding sides to reduce injury to crate handlers and product. Majority of our crates can be printed or embossed. Free embossing for orders of 1000 units or more.

Agriculture & Meat Crates

AM40 Vented Base



Dimensions	external	internal
Length:	526 mm	494 mm
Width:	352 mm	325 mm
Height:	286 mm	278 mm

Stack Height:	272 mm
Crate Weight:	1.90 Kgs
Material:	Virgin & Recycled HDPE
Carrying Load:	40 Kgs
Maximum Stacking Load:	360 Kgs

AM41 Solid Base



Dimensions	external	internal
Length:	526 mm	494 mm
Width:	352 mm	325 mm
Height:	286 mm	278 mm

Stack Height:	272 mm
Crate Weight:	1.97 Kgs
Material:	Virgin & Recycled HDPE
Carrying Load:	40 Kgs
Maximum Stacking Load:	360 Kgs

AM72 Nesting Crate



Dimensions	external	internal
Length:	602 mm	568 mm
Width:	403 mm	363 mm
Height:	231 mm	218 mm

Stack Height:	222 mm
Nest Height:	115 mm
Crate Weight:	2.20 Kgs
Material:	Virgin & Recycled HDPE
Carrying Load:	45 Kgs
Maximum Stacking Load:	450 Kgs

Agriculture & Meat Crates

AM840



Dimensions	external	internal
Length:	603 mm	507 mm
Width:	399 mm	374 mm
Height:	127 mm	115 mm

Stack Height:	117 mm
Crate Weight:	1.06 Kgs
Material:	Virgin & Recycled HDPE

AM18



Dimensions	external	internal
Length:	596 mm	565 mm
Width:	400 mm	364 mm
Height:	178 mm	167 mm

Stack Height:	170 mm
Crate Weight:	1.68 Kgs
Material:	Virgin & Recycled HDPE
Carrying Load:	20 Kgs
Maximum Stacking Load:	300 Kgs

MT 600



Dimensions	external	internal
Length:	600 mm	588 mm
Width:	400 mm	386 mm
Height:	263 mm	252 mm

Stack Height:	254 mm
Crate Weight:	2.85 Kgs
Material:	Virgin & Recycled HDPE
Carrying Load:	45 Kgs
Maximum Stacking Load:	400 Kgs

Dairy Crates

All dairy crates are inter stackable

DM20



Dimensions	external	internal
Length:	420 mm	398 mm
Width:	334 mm	309 mm
Height:	305 mm	290 mm

Stack Height:	298 mm
Crate Weight:	1.50 Kgs
Material:	Virgin & Recycled HDPE
Carrying Load:	20 Kgs
Maximum Stacking Load:	240 Kgs

DM 800



Dimensions	external	internal
Length:	421 mm	396 mm
Width:	334 mm	308 mm
Height:	163 mm	152 mm

Stack Height:	151 mm
Crate Weight:	1.04 Kgs
Material:	Virgin & Recycled HDPE
Carrying Load:	12 Kgs
Maximum Stacking Load:	160 Kgs

DM 900



Dimensions	external	internal
Length:	424 mm	398 mm
Width:	333 mm	307 mm
Height:	207 mm	205 mm

Stack Height:	196 mm
Crate Weight:	1.17 Kgs
Material:	Virgin & Recycled HDPE
Carrying Load:	10 Kgs
Maximum Stacking Load:	110 Kgs

Collapsible Crates



C120



Dimensions	external	internal
Length:	600 mm	564 mm
Width:	400 mm	366 mm
Height:	120 mm	110 mm

Stack Height:	114 mm
Crate Weight:	1.46 Kgs
Material:	Virgin POLYPROP
Carrying Load:	20 Kgs
Maximum Stacking Load:	200 Kgs

C180



Dimensions	external	internal
Length:	600 mm	564 mm
Width:	400 mm	366 mm
Height:	180 mm	178 mm

Stack Height:	173 mm
Crate Weight:	1.80 Kgs
Material:	Virgin POLYPROP
Carrying Load:	20 Kgs
Maximum Stacking Load:	200 Kgs

C230 Vented & Solid Sides



Dimensions	external	internal
Length:	600 mm	564 mm
Width:	400 mm	366 mm
Height:	230 mm	225 mm

Stack Height:	173 mm
Crate Weight:	1.95 Kgs
Material:	Virgin POLYPROP
Carrying Load:	20 Kgs
Maximum Stacking Load:	200 Kgs

Other Crates

BB10 Bread Crate



Dimensions	external	internal
Length:	600 mm	572 mm
Width:	517 mm	510 mm
Height:	184 mm	164 mm
Stack Height:	170 mm	
Crate Weight:	1.63 Kgs	
Material:	Virgin & Recycled HDPE	
Carrying Load:	15 Kgs	
Maximum Stacking Load:	250 Kgs	

SORGHUM



Dimensions	external	internal
Length:	494 mm	472 mm
Width:	292 mm	269 mm
Height:	270 mm	260 mm
Stack Height:	260 mm	
Crate Weight:	1.36 Kgs	
Material:	Virgin & Recycled HDPE	
Carrying Load:	20 Kgs	
Maximum Stacking Load:	240 Kgs	

While every effort has been made to ensure accuracy of all information in this Brochure. Chespak does not accept liability for any errors or omissions and reserves the right to change information and description of listed products.